

Arizona Department of Environmental Quality



Drinking Water System Field Inspection Report

System Name: Pine Creek Canyon DWID	PWS: AZ0404044
Physical Location: LAT: 34°23′ 55.5″ / LONG: 111°28′ 01.6″ City, State, Zip: Pine, AZ 85544	Inspection No.: 360347
County: Gila	Arrival Date and Time: 11-13-2020 / 9:30 am
Mailing Address: PO Box 945 City, State, Zip: Pine, AZ 85544	Inspector(s): Steven Vogel
Owner/Responsible Party: Pine Creek Canyon DWID Address: PO Box 945 Pine, AZ 85544 Phone: 928-476-2260 Email: pccdwid@questoffice.com	Inspector Phone: <u>v602-774/457&deq.gov</u> Inspector Email:
Administrative Contact/Title: Harry Jones / Admin Contact Address: PO Box 945 Pine, AZ 85544 Phone: 928-476-2260 Email: harryjoneshd@msn.com	Classification: System Grade: 169 Service Connections: 112 Population: Changes/Updates: Yes
Operator/ID: Patrick Carpenter / OP007600 Phone: 928-606-0498 / 928-635-4689	Op. Cert. Grade/Expiration: D2/T3 / June 30, 2022
Email: pataqualitywater@gmail.com	Add/Remove/Update Operator: ☐ Yes
Certified Operator Yes □ No Physical Facilities Yes □ No Monitoring and Reporting Yes □ No	
Results of Inspection: ☐ No deficiencies were noted during the course of the inspecti ☐ Minor potential deficiencies were noted during the course of regarding this inspection may be forthcoming. ☐ Significant potential deficiencies were noted during the court ☐ Committed intentionally ☐ Not correctable within a reasonable period of time ☐ Evidence of a pattern of noncompliance. ☐ A risk to any person, the public health, safety or we Additional correspondence regarding this inspection may be	f the inspection. Additional correspondence see of the inspection. The noted deficiencies were: as determined by the agency.
Inspection Report Issued:	Facility Initial: ADEQ Initial:
ADEQ Compliance Assistance Coordinator: Matithia Eiland: Pheeiland.matithia@azdeq.gov	one: 602-771-4572; Email:
Owner/AC and/or Update Contact information: ☐ Yes	
PHOTOGRAPHS TAKEN DURING INSPECTIONS ARE AVAILABLE	ON REQUEST

A. SOURCES		Comments	Inventory Changes:	Yes
1. Approved Source(s) Add New Source(s). (R18-5-507A) Click here to enter text.	⊠ □ Yes No	Two wells: 55-218 55-540845 (Old)	750 (New)	
2. Ground Water Under the Influence of Surface Water (R18-4-212)	□ ⊠ Yes No			
B. WELL REQUIREMENTS		Comments		,
1. Raw water sampling tap installed to collect GW sample (40 CFR §141.402.a.2)	Yes No N/A			
2. Sample Tap installed at Entry Point to the Distribution System (EPDS) (40 CFR §141.23.a.1)	⊠ □ □ Yes No N/A	EPDS001 Latitude: DMS Longitude: DMS		
3. Vent turns down and terminates 2 ft. above the slab with #16-mesh screen. (R18-5-502)	Yes No N/A			¥
4. Access to well restricted (R18-5-502)	⊠ Yes □ No □ N/A			
5. Appropriate Drainage Away from Well. (R18-4-203)	⊠ □ □ Yes No N/A			
6. Sanitary Seal and Slab. (R18-4-203)	⊠ Yes □ No □ N/A			
C. WELL RECOMMENDATIONS		Comments		
1. State well number posted	⊠ Yes □ No □ N/A			
2. Casing Extends 12" above slab	⊠ Yes □ No □ N/A			
D. DISINFECTION REQUIREMENTS (For Gaseous Chlorine, apply 2-6)		Comments	Inventory Changes:	Yes
1. Disinfection Compound ANSI/NSF 60 Approved and Container Labelled (R18-4-213)	□ □ ⊠ Yes No N/A	4		
2. Chlorine cylinder stored in upright position in a cool, well-ventilated room; one-ton containers stored on sides on level rack or platform with safety blocks to prevent rolling (R18-4-208)	□ □ ⊠ Yes No N/A			
3. Chlorine gas containers stored away from other compressed gases, turpentine, ether, finely divided	☐ Yes ☐ No ☒ N/A			

metals, and hydrocarbons. (R18-4-208)			
4. Weighing scale provided for weighing cylinders containing chlorine gas except for installations where automatic switchover from an empty to a full cylinder is provided (R18-4-208)	□ Yes □ No ⊠ N/A		
5. All cylinders secured to scale or support by chain or other approved means. (R18-4-208)	☐ Yes ☐ No ☒ N/A		
6. Air outlet from the room with gas type chlorinator is near the floor and point of discharge is located as not to contaminate air inlets to any buildings and areas used by people. (R18-4-208)	□ Yes □ No ⊠ N/A		
E. DISINFECTION RECOMMENDATIONS (For Gaseous Chlorine)		Comments	Inventory Changes: Yes
1. Approved gas masks with a self-contained air supply available where chlorine gas is handled, and stored at a convenient location but not inside any room where chlorine is used or stored (R18-4-208)	☐ Yes ☐ No ☒ N/A		
2. Bottle of strong ammonia water (10% NH3) available for chlorine leak detection. (R18-4-208)	☐ Yes ☐ No ☒ N/A		
3. A leak repair kit approved by the Chlorine Institute provided where ton containers are used. (R18-4-208)	☐ Yes ☐ No ☒ N/A		
4. Chlorine cylinders and chlorinators housed in separate rooms on the ground floor. (R18-4-208)	☐ Yes ☐ No ☒ N/A		
5. Weights of chlorine cylinders recorded at regular intervals, at least once a day, in order to ascertain the actual quantity of gas being used (R18-4-208)	□ Yes □ No ⊠ N/A		
F. TREATMENT REQUIREMENTS		Comments	Inventory Changes: Yes
1.Treatment required Type: (As, N, 4-log, radionuclides,			
blending, POE, POU, etc.)	Yes No		
blending, POE, POU, etc.) 2. 4-log compliance monitoring data available for the past year. (R18-4-121)			

were required additional monitoring steps taken? (R18-4-121)		
4. Unapproved bypass. (R18-5-509)	□ Yes □ No ⊠ N/A	
G. TREATMENT RECOMMENDATIONS		Comments
1. ADEQ approved operations and maintenance manual available for review	Yes No N/A	
H. STORAGE REQUIREMENTS		Comments Inventory Changes: ☐ Yes
1. Drain is Air Gapped from Sanitary Sewer, Storm Drain, or Irrigation Conveyance. (R18-4-215)	⊠ □ □ N/A	One Storage Tank: ST001 250,000
2. Vents Protected (i.e. #16 Non-Corrodible Mesh). (R18-5-502)	⊠ Yes □ No □ N/A	
3. Overflow Pipe Protected with #16 Non-Corrodible Mesh. (R18-5-502)	⊠ Yes □ No □ N/A	
4. Hatch has Gasket or Seal, and Locking Device. (R18-5-502)	⊠ Yes □ No □ N/A	
5. All Finished Water Storage has Water Tight Cover or Roof (R18-4-122)	⊠ □ □ N/A	
6. Area Within 100 ft. of Tank Graded to Provide Drainage Away from Tank (R18-4-203)	⊠ □ □ Yes No N/A	
I. STORAGE RECOMMENDATIONS		Comments
1. Working Mechanical, Automatic Gauge, or Alarm	⊠ Yes □ No □ N/A	
J. PRESSURE TANK REQUIREMENTS		Comments
1. Operational Pressure Gauge (R18-4-203)	⊠ Yes □ No □ N/A	
2. Operational Pressure Relief Valve (R18-4-203)	⊠ Yes □ No □ N/A	
K. PRESSURE TANK RECOMMENDATION	s	Comments
1. Operational Water Level Gauge (R18-4-203)	⊠ _{Yes} □ _{No} □ _{N/A}	
L. DISTRIBUTION REQUIREMENTS		Comments
1. System Pressure >20 PSI Throughout System. (R18-5-502.B)	⊠ Yes □ No	
2. Cross Connection/ Testable	☐ Yes ☐ No ☒ N/A	

Deal-flow Down 11 D 1 /1		
Backflow Prevention Devices (i.e. car		
washes, restaurants, hospitals, etc.)		
(R18-4-215)		
3. Separate Non-Potable System With		
Connections Labelled. (R18-5-502)	□ Yes □ No ⊠ N/A	
M GENERAL REQUIREMENTS		
M. GENERAL REQUIREMENTS		Comments
1. Emergency Plan for Community		
System in Accessible Location	Yes No N/A	
(R18-4-204)		
		mmunity water system will take to assure
continuation of service in the following of	emergency situations; (R	18-4-204.A)
i. Loss of source;	⊠ Yes □ No	
ii. Loss of water supply due to	⊠ Yes □ No	
major component failure;	TES INO	
iii. Damage to power supply	⊠ Yes □ No	
equipment or loss of power;	162 110	
iv. Contamination of water in		
distribution system from	Yes No	
backflow;		
v. Collapse of a reservoir,		
reservoir roof, or pumphouse	Yes No	
structure;		
vi. A break in transmission or	⊠ Yes □ No	
distribution line;	162 INO	
vii. Chemical or microbiological		
contamination of the water	Yes No	
supply.		
The Emergency Operations Plan required	by subsection (A) shall	address all of the following; (R18-4-204.B)
i. Provisions of alternate sources		
of water during the	Yes No	
emergency;		
ii. Notice procedures for		
regulatory agencies, news	Yes No	
media, and users;	103 140	
iii. Disinfection and testing of the		
distribution system once	Yes No	
service is restored;	TES NO	
iv. Identification of critical		
components that shall remain		
in service or be returned to	Yes No	
service quickly;		
v. Critical spare parts inventory;	⊠ Yes □ No	
vi. Staff training in emergency	⊠ Yes □ No	
response procedures.	Yes No	
2. Microbiological Sample Siting Plan		
(R18-4-126, 40 CFR §141.853)	Yes No	

3. Disinfectant By Product Sample Siting Plan. (R18-4-124, 40 CFR §141.622)	Yes No N/A	
4. Lead & Copper Site Sampling Plan (R18-4-111, 40 CFR §141.91)	⊠ Yes □ No □ N/A	
5. Components Enclosed by Building or Security Fencing. (R18-5-502)	⊠ Yes □ No □ N/A	
6. Appropriate Operation and Maintenance. (R18-4-203)	⊠ Yes □ No □ N/A	
7. All Necessary Components Made of ANSI/NSF 61 Approved Material (R18-4-213)	⊠ Yes □ No □ N/A	
8. Approval to Construct (ATC) for System Upgrades and Expansions (R18-5-505)	⊠ □ □ N/A	
9. Approval of Construction (AOC) for System Upgrades and Expansions (R18-5-507)	⊠ □ □ □ N/A	
N. OPERATOR REQUIREMENTS		Comments Inventory Changes: Yes
1. Operator in Direct Charge Certified		
at Correct Grade. (R18-5-104 A.1)	⊠ Yes □ No □ N/A	
at Correct Grade. (R18-5-104 A.1) 2. Onsite Operator for Grade 3 or 4 Facility. (R18-5-104.E)	□ Yes □ No □ N/A	
2. Onsite Operator for Grade 3 or 4	•	
2. Onsite Operator for Grade 3 or 4 Facility. (R18-5-104.E) 3. Relief Operator Certificate No Lower than 1 Grade Below System	□ Yes □ No ☒ N/A	
2. Onsite Operator for Grade 3 or 4 Facility. (R18-5-104.E) 3. Relief Operator Certificate No Lower than 1 Grade Below System (R18-5-104 A.5) 4. Remote Operator < 200 Road Miles	☐ Yes ☐ No ☒ N/A ☐ Yes ☐ No ☒ N/A	
2. Onsite Operator for Grade 3 or 4 Facility. (R18-5-104.E) 3. Relief Operator Certificate No Lower than 1 Grade Below System (R18-5-104 A.5) 4. Remote Operator <200 Road Miles from Facility. (R18-5-104 F.5) 5. Remote Operator Inspects Grade 1 and 2 Systems at Least Monthly to ensure proper operation and maintenance. (R18-5-104 F.7)	Yes No N/A Yes No N/A Yes No N/A	

OBSERVATIONS, RECOMMENDATIONS, AND POTENTIAL DEFICIENCIES:	
OBSERVATION: 1. Pine saplings and grape vines growing <15 feet from storage tank	
RECOMMENDATIONS:	
	Page 6

1. Continue trimming and removing grape vines and pine saplings each year
Inventory Changes to Existing PWS Includes: (please check all appropriate boxes)
PWS Name: Yes - Classification: Yes - Activation: Yes - Inactivation: Yes - Remove the second storage tank from the list Treatment: Yes - Disinfectant: Yes Admin Contact Info: Yes - Owner Contact Info: Yes - PWS Population: Yes - PWS Service Connections: Yes - Facility/Sampling Point: Yes - Other: Yes -

PRE-INSPECTION CHECKLIST		Comments
Consumer Confidence Report Delivered in Community Systems (R18-4-117)	⊠ Yes □ No □ N/A	
Monitoring Assistance Program Participant (A.R.S 49-360)	⊠ Yes □ No	

Required Sampling	Sampling	Sampled By:	COMPLIANCE			Comments
nequirea	Jumpinig	Sampled by.	Υ	N	N/A	
	Turbidity	System				
\boxtimes	Coliform	System				
	Maximum Residual Disinfectant Level (MRDL)	System				
\boxtimes	Lead & Copper	System				
	Disinfection By Products	System				
\boxtimes	Nitrate	☐ System ⊠ MAP				
\boxtimes	Nitrite	☐ System ⊠ MAP				
\boxtimes	Asbestos	☐ System ⊠ MAP				
\boxtimes	Inorganic Compounds (IOC)	☐ System ⊠ MAP				
\boxtimes	Volatile Organic Compounds (VOC)	☐ System ⊠ MAP				
×	Synthetic Organic Compounds (SOC)	☐ System ⊠ MAP				
\boxtimes	Arsenic	☐ System ⊠ MAP				
X	Radio-chemicals	☐ System ⊠ MAP	×			
\boxtimes	Combined Uranium	☐ System ⊠ MAP	\boxtimes			

SYSTEM SKETCH: Pine Creek Canyon DWID AZ0404044	DATE: 11/13/2020	
---	------------------	--

Wells > Storage Tank > EPDS001 > Distribution